

# Indiana State Police Clandestine Laboratory Occurrence Report

This form complies with the statutory requirement set forth in IC 5-2-15-3.

Date: 03/27/2014

Address: 6093 S. Old US Hwy 31

Incident #: 14ISPC002552

County: FULTON

Macy, IN 46951

**Type of Laboratory Seizure** (check one)

- ☒ Operational Lab  
☐ Chemical/Glassware/Equipment (only)  
☐ Dumpsite (only)

**Seizure Location** (check all that apply)

- ☒ Residence ☐ Hotel/Motel  
☐ Outbuilding ☐ Open – No Structure  
☐ Vehicle ☐ Other: \_\_\_\_\_

**Items Found: Location** (bedroom, kitchen, open air, etc)

(check all that apply)

- ☐ One Pot or Birch Reaction(s): \_\_\_\_\_  
☐ Red Phosphorous/Iodine Reaction(s): \_\_\_\_\_  
☒ Hydrochloric Acid Gas Generator(s): Kitchen  
☒ Flammable Solvents: Kitchen, middle bedroom, rear bedroom  
☒ Water Reactive Metal (Lithium): Living room  
☒ Anhydrous Ammonia: Living room  
☐ Corrosive Acid: \_\_\_\_\_  
☐ Corrosive Base: \_\_\_\_\_  
☐ Other (item and location): \_\_\_\_\_

**Vehicle Information:**

Owner:  
VIN:  
Year:

Make:  
Model:

**Child under age 18 discovered** (check appropriate)

- ☐ Yes \_\_\_\_\_ (number present)  
☒ No  
☐ Children not present but evidence they reside  
or visit often

Living conditions of home: ☐ clean ☐ disarray  
☒ unclean  
Estimated length of time manufacturing had been  
occurring: 6 months +  
Additional Information: \_\_\_\_\_

**This report has been faxed\* or emailed to the following agencies that serve the location:**

Fire Department City, Township or County Rochester FD

Fax: fire@rochester.in.us

Health Department County: Fulton County Health Dept.

Fax: Fulton@isdh.in.gov

Department of Child Services Hotline: [dcshotlinereports@dcs.in.gov](mailto:dcshotlinereports@dcs.in.gov) Fax: 317-234-7595 or 317-234-7596

For further information regarding this methamphetamine laboratory, contact

Investigating Officer: Trp. Ben Reason

Phone (765) 473-6666

\*This form is to be faxed to the Fire Department, Health Department and/or Department of Child Services listed within 24 hours of scene processing.